

REVISIONS			
REV.	DESCRIPTION	DATE D/M/Y	BY
00	Original	12/04/02	TE

Max. depth 100m  
 Overall Mooring Scope: 1.4:1  
 Upper Mooring Scope: 1.8:1

Item	Axys Part Number
1	51308006 Shackle, Eye & Eye Swivel, 1/2", SS316
2	024160199 Mooring, 15m, Compliant Section
3	51707002 Wire Rope, Plastic 15m Coated, 1/4 to 5/16, Insert section when WD>80m
4	51708005 Rope, Mono-12, 1/2" adjust length to Table 1.
5a	024580199 Schakle, D, 1/2", SS316
5b	024580199 Schakle, D, 1/2", Galv.
6	51211003 2x14" Subsurface Float
7	51308005 Swivel, Eye to Eye, 1/2" Galvanized
8	51707002 Wire Rope, Plastic 50m Coated, 1/4 to 5/16, adjust length to 1/2 WD.
9	51708002 Chain, 1/2", Galvanized
10	Anchor ~350 kgs (heavy chain)




Table 1.

WD	SSF	Mono-12 Lgth
50m	25m	30m
60m	30m	39m
70m	35m	48m
80m	40m	40m
90m	45m	45m
100m	50m	60m

When printed, make sure you are using the most current revision of this document.

This document in its entirety contains proprietary information that shall not be disclosed to any third parties without obtaining prior permission from Axys Group Ltd. The bearer of this document shall take suitable precautions to prevent the disclosure of any information contained in this document to any parties that do not have the permission to receive that information.

DESIGNER A. Ethier	QA This drawing is controlled through Q-PULSE	TEMPLATE # QT-04-04-00.dwg
DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED. LINEAR TOLERANCES ARE: X ±0.1 X.X ±0.03 X.XX ±0.01 X.XXX ±0.003 ANGULAR TOLERANCES ARE: X.X ±0.1 X.XX ±0.05		AXYS TECHNOLOGIES INC. P.O. BOX 2219, 2045 MILLS RD. SIDNEY, B.C., CANADA V8L 3S8 (250)655-5850 Fax: (250)655-5856
MATERIAL	<b>TRIAXYS, Mooring</b> <b>50-100 m Deployment Depth</b>	
FINISH	SCALE NTS	DRAWN BY A. Ethier DATE 16/01/01
ACAD FILE ...\\CONTROLLED DOCUMENTS\\02955\\0295500S.dwg	ASSEMBLY DWG	SIZE A DRAWING NUMBER 02955 REV 00